

DocuPrint P115 w / M115 w / M115 z A4 Monochrome Laser Printers



DocuPrint P115 w / M115 w / M115 z A4 Monochrome Printers

Affordability and reliability with wireless connectivity







Affordability and reliability with wireless connectivity

The Fuji Xerox DocuPrint P115 w / M115 w /M115 z are designed as an affordable entry level print solution, offering high quality personal printing combining reliability with the advantage of wireless connectivity.

Productivity and reliability

- Speed and quality. With a print resolution of up to 2400 x 600 dpi and a printing speed of up to 20 ppm, the DocuPrint P115w / M115 w / M115 z deliver quality print results fast.
- Print faster. A quick warm up time and first page out of just 10 seconds or less, means the DocuPrint P115 w / M115 w / M115 z are ready to go when you are.
- All-in-one functionality. Multifunction models allow you to print, copy, scan and fax* in an efficient, low cost device giving you maximum productivity.
- Clever features for reliable operation.
 Fuji Xerox is renowned for reliable printing.
 The DocuPrint P115 w / M115 w / M115 z
 are no exception with simple engineering and clever new ideas designed for trouble-free printing.

*Only available on DocuPrint M115 z

Affordable, efficient printing

- Low cost hardware is only half of the story. Thanks to the separate toner and drum cartridge, you will only ever have to replace one component at a time. This results in maximum use of each component, longer operating times and cost savings.
- Save toner save cost. Toner save mode extends the life of the toner cartridge by varying the density of toner that is printed on a page.
- Use less paper and toner. The built in N-UP print feature gives users the ability to save on paper and toner by printing multiple pages on a single sheet of paper. This also reduces the overall cost of printing.



DocuPrint P115 w Wireless Laser Printer



DocuPrint M115 w 3-in-1 Wireless Multifunction Laser Printer




DocuPrint M115 z 4-in-1 Wireless Multifunction Laser Printer

Clever features designed to reduce paper jams



Rubber dual paper feed rollers. The specially designed dual roller system improves paper feed by accurately picking up one sheet of paper at a time. The rollers are made from a unique rubber material that prevents dust from sticking to them.



Shorter paper path. A short paper path results in smoother printing and reduces the likelihood of paper jams.

Longer paper guides. Paper feed guides are longer than conventional printers minimising paper skew, which reduces the chance of paper-jams.





Mobile printing made easy

Whether it's an iOS or Android device, the Fuji Xerox Print & Scan Utility puts mobile printing at your fingertips. Print stored photo albums, web pages or shoot and print on the go from your iOS or Android device.

Fuji Xerox Print & Scan Utility can be easily downloaded from the App Store for iOS and Play Store for Android devices.








Connect with a touch of a button

The DocuPrint P115 w / M115 w / M115 z feature one-touch Wi-Fi setup (WPS 2.0) making Wi-Fi set up effortless and a breeze to share the printer wirelessly among small workgroups. Simply press the WPS button on the Wi-Fi enabled router, then the WPS button on the printer to establish a Wi-Fi connection.



Clever ID Card Copying*

The easy-to-use ID card copy feature allows you to copy both sides of the card or small size document onto the same side of the paper.





^{*}Available on DocuPrint M115 w / M115 z



Specifications DocuPrint P115 w / M115 w / M115 z

Product Name	DocuPrint P115 w	DocuPrint M115 w	DocuPrint M115 z	
unction	A4 monochrome printer	A4 monoc	hrome MFP	
Print Function				
rint Speed (A4)	Up to 20 ppm ¹			
rint Resolution	Up to HQ 1200 technology (2400 x 600 dpi)			
irst-page-out Time (A4 SEF) (from ready mode)		10 seconds or less		
Varm-up Time	18 seconds or less (from sleep mode) 23 seconds or less (from Power up) 33 seconds or less (from Power up) 32MB		(from sleep mode)	
Memory				
rocessor		200 MHZ		
DL	Host-based			
onnectivity	USB2.0 Hi-Speed, Wireless (IEEE 802.11b/g/n)			
upported Operating System	Windows Vista®, Windows® 7, Windows® 8.1; Mac OS X 10.7.x, 10.8.x, 10.9x° A4 SEF, Letter SEF, Folio (8.5" x 13") SEF, Legal SEF, A5 SEF/LEF, B5 LEF, Executive LEF Width : 148 to 215.9 mm, Length : 148 to 355.6 mm			
nput Paper Size				
ledia Input Capacity	150 sheets			
ledia Output Capacity		50 sheets		
ledia Types	Plain paper, Recycled paper			
nput Paper Weight		64 to 105 gsm		
utomatic Document Feeder	-	-	10 sheets 64-90 gsm	
commended monthly print volume (approx.)		250~1800 pages		
onthly Maximum Duty Cycle	10,000 pages			
int Features	Toner Save Mode, N-up(2,4,9,16, or 25)8, Poster4(4,9,16,25), Header/Footer4 (time & date and/or user ID), Watermarks4, manual duplex printing4, manual booklet printing4			
mensions (WxDxH)	W 340 x D 238 x H 189 mm	W 385 x D 343 x H 255 mm ⁷	W 456.5 x D 343 x H 283 mm ⁷	
eight	4.6 kg	7.4 kg	8.5 kg	
perating Environment Temperature		Storage: 0° C to 40° C; Operating: 10° C to 32.5° C		
umidity	Operating Environment: 20% to 80% RH (without condensation)			
coustics: Sound Pressure level	Standby: Inaudible, Standby: Inaudible,			
lectrical Power	Printing: S1 dB(A) or less	Printing: 52 220–240 VAC, 50/60 Hz	dB(A) or less	
ower consumption	Ready/Standby: 40W, Printing: 380W	Ready/Standby: 50W, Printing: 390W	Ready/Standby: 50W, Printing: 390W	
Swer consumption	Deep sleep: 0.7W;	Deep sleep: 0.9W;	Deep sleep: 1.4W;	
	ENERGÝ STAŘ® qualified	ENERGÝ STAŘ® qualified	ENERGÝ STAŘ® qualified	
EC value	0.8 k Wh/w	0.8k Wh/w	0.9 k Wh/w	
Vireless Specification				
ireless LAN		IEEE 802.11b/g/n (Infrastructure mode/Ad-hoc mode)		
rotocols	IPv4: ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port 9100, IPF FTP Server, SMMPv1/v2c, HTPP Server, TFTP Client and Server, SMTP Client, ICMP, Web Services (Print) IPv6: NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port 9100, IPP, FTP Server, SNMPv1/v2c, HTPP Server, TFTP Client and Server SMT Client, ICMPv6, Web Services (Print)			
ecurity Protocols	Client, Tenrivo, web Services (mint) Wireless: SMTP - AUTH			
Vireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)			
/ireless Network Setup Support Utility		AOSS ^{IM} : Yes, WPS: Yes		
Copy Function				
			20 1	
opy Speed (A4) opy Resolution	-		20 cpm¹) x 600 dpi	
irst-copy-out Time				
eduction / Enlargement		16 seconds or less at 23°C from ready mode 25 - 400% in 1% increments		
Iulti-Copy	_	Up to 99		
opy Feature	_			
''				
can Function			616	
/pe	_	Colour CIS Optical: up to 600 x 1200 dpi (from Scanner Glass),		
Scanning Resolution	-	Uptical: up to 600 x 1200 Enhanced: up to 1	9,200 x 19,200 dpi ⁶	
		–	Optical: up to 600 x 600 dpi (from ADF)	
olour Depth	-	24	bit	
ocument Size	-	Max 215.9mm x 300mm	Platen: max 215.9mm x 300mm	
			ADF: A4/Letter/Legal/Folio	
can Destinations		Scan to Email, Image, File9 Windows®: TWAIN, WIA for Windows Vista®/Windows® 7/Windows® 8.1: Mac: TWAIN/ICA for OS X v10.7.		
upported Driver	- WINGOWS": I WAIN, WIA IOF WINGOWS VISTO		s° //windows° 8.1; Mac: 1 WAIN/ICA for US X V10./. (. 10.9.x	
au Funation		10.00	, 10.55	
ax Function				
ompatibility	-	-	ITU-T G3	
ommunication System	-	-	PSTN 1/ / Khara	
odem Speed lemory Transmission	-	-	14.4 Kbps Up to 400 pages ¹⁰	
ut-of-paper Reception		<u> </u>	Up to 400 pages ¹⁰	
ut-or-paper Reception ix Resolution			Superfine 8dot/mm x 15.4line/mm	
peed Dials	<u> </u>		Up to 99 locations	
roadcasting	<u>_</u>	=	Up to 119 locations, Manual: 20 locations	
ax Features		-	PC Fax Send and Receive (Windows only)	
landset		-	Built-In	
ack-up Clock	_	_	Up to 2 hours	
/arranty		check with your Fuji Xerox Printers reseller for more infor		
		, ,		
onsumables				
		CT202427		
oner Cartridge (1,000 pages² approx.)	CT20137 CT251005			
Orum Cartridge (10,000 pages³ approx.)	CT351005			

¹ Print/copy speed may decrease due to factors such as paper type, paper size, and printing conditions. In periods of heavy duty printing or copying, the device may go into cool down mode. This safety feature protects the device from overheating, but will result in a temporary reduction in print or copy speed. ² Declared yield in accordance with ISO/IEC 19752. Yield will vary based on image area coverage and print mode. ³ Drum yield may vary by the type of use. ⁴ Windows Only, ⁵ Mac drivers are available by web download. ⁶ Max 1200 x 1200 dpi scanning with WIS (Windows Image Acquisition) driver in Windows Vista, Windows 7 and Windows 8. Up to 19200 x 19200 dpi can be chosen by using the scanner utility. ⁷ Excludes fan louver. ⁸ N-up for Mac (2,4,6,9 or 16). ³ By ControlCenter utility ³ TU-T Test Chart, Standard resolution, MMR

The First Chair, Sudiand resolution, which Printers are shipped with one standard toner (yield 1,000 pages approx) and one standard drum (yield 10,000 pages approx). This product has been tested and found to comply with the Class 1 Laser Equipment requirements defined by the international standard IEC 60825-1:2007 and has no light exposure hazard. The product has no hazardous light emission as it features light protection components and covers to shut in all light beam during operation and mainten Internal Laser radiation Wave length: 770 - 800 nm Output: 25 mW max. Laser Class: Class 38

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law:

Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

















For four Surety Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

astragraphia

PT ASTRA GRAPHIA TBK
Head Office (021) 390 9444 • Jakarta 1, 2, 3 (021) 65704072 • Jakarta 4 (021) 7829182 • Jakarta 5, 6, 7 (021) 522 0030 • Bogor (021) 837 2705 • Tangerang (021) 552 6818 • Cilegon (0254) 8484251 • Karawang (021) 826 06042 • Bandung (022) 420 1032 • Cirebon (0231) 116 087 • Semarang (024) 842 5460 • Solo (0271) 710 186 • Yogyakarta 0815 7552 4041 • Purwokerto (0281) 6252 270 • Tegal (021) 415 1458 • Surabaya 1 (031) 534 8181 • Kediri 0813 353 03512 • Gresik 0857 4180 5789 • Madiun 0852 220 16 6303 • Surabaya 2 (031) 334 0175 • Malang 0856 994 170546 • Jember 0812 323 8189 • Passurano 0815 9101 6587 • Dempasar (0301) 401 277 • Mataram (0307) 645 582 • Kupang (0380) 840 263 52 631 • Dilli, Timor Leste (670) 723 4726 • Medan (061) 787 1000 • Banda Aceh 0856 941 70885 • Pemtarga Siantar 0856 9417 0882 • Rantau Prapat 0856 9417 0872 • Sibolga 0856 9417 0879 • Batam (0778) 412 173 • Bintan 0813 6315 7231 • Pekanbaru (0761) 335 19 • Pampagklan Kerinci (0761) 43 996 • Duri 0812 670 9683 • Padang 0811 6675 9998 • Duri 0812 570 9908 • Duri 0812 570 • Pelambarg (071) 355 100 • Bangka Beltiung 0819 955 33557 • Tanjung Enim (0734) 451 552 • Lampung (0721) 261 674 • Bengkulu 0821 8149 9578 • Balikpapan (0542) 733 307 • Samarinda 0821 529 30349 • Tarakan (0551) 221 08 • Berau (0554) 257 63 • Bontang (0548) 303 6692 • Sangatta (0549) 224 56 • Pontianak (Jakarta 3) 0811 577 7140 • Banjarmasin (0511) 325 2520 • Palangkaraya (0536) 323 5834 • Battu Licin (0518) 7130 • Tanjung (0526) 202 2827 • Makassar (0411) 811 18111 • Kendari (0401) 324 582 • Sorowako 0853 9097 94000 • Ambon 0811 490 551 • Biak 0812 485 6266 • Jayapura (0967) 523 349 • Timika 0813 443 91061 • Manokwari 0812 485 6266 • Manado (0431) 857 643 • Palu 0821 9009 9010 • Sorong (0951) 331 569 • Luwuk 0822 9123 9723 • Gorontalo 0853 202 28257





(

