

DocuPrint P365 d  
A4 Monochrome  
Laser Printer



# DocuPrint P365 d A4 Monochrome Laser Printer

Fast, efficient performer for busy workgroups

**FUJI XEROX** 

# The Fuji Xerox DocuPrint P365 d provides amazing performance for small and medium sized business, delivering speed, efficiency and a host of networking options in a compact and stylish unit.

## High performance to meet demanding environments

- **Keeps up with your busy work environment.** With a print speed of 38 pages per minute and 5.2 sec first page out time, the DocuPrint P365 d has the performance to keep up with your busy work demands. Printing multipage documents is a breeze with automatic two-sided printing.
- **Superb image quality.** 1200 x 1200 dpi resolution with genuine PostScript® 3™ ensures accurate print output with incredible detail and clarity.
- **Scalable options to meet demand.** The optional 550-sheet feeder extends the total input capacity to 850-sheets, meaning you'll spend less time reloading paper and more time getting on with business.
- **Flexible print options.** From thick paper, card stock, envelopes or labels; achieve crisp print results everytime on a variety of stocks. This allows you to print more inhouse – saving you time and money.
- **Fast networking.** Gigabit Ethernet enables fast communication between the printer and the network, ensuring you achieve the best performance out of your printer network.
- **Easy connectivity.** The optional wireless kit enables the DocuPrint P365 d to be easy connected to your network without the need of messy cabling. This also gives you the flexibility to position the printer anywhere in the office and allows a workgroup to share without an expensive network setup.

## Reliable operation

- **Improved duty cycle.** The Fuji Xerox brand is renowned for its technological advancements in creating reliable business printing products. The DocuPrint P365 d features an improved print engine delivering an increased duty cycle.

## Low running costs – great for business

- **Less disruption with high yield toner and drum.** With high capacity toner cartridge and long life drum, you can print for longer without the need to stop and replace cartridges.
- **Dual consumables.** Unlike most laser printers, the DocuPrint P365 d utilises a separate toner cartridge and drum unit allowing you to achieve the maximum use out of each component. This delivers significant cost savings.
- **Toner saving feature.** Which gives users complete control of toner usage by selecting a mode that is most suited to the output that is required. For instance, when printing documents for internal use, you may want to use the lightest setting for maximum toner saving.

## Eco friendly

- **EA-Eco Toner.** Our EA-Eco Toner with low-melt technology achieves minimum fusing temperature at 20°C less than conventional toner for significant energy savings.
- **Certified energy efficient.** The DocuPrint P365 d carries the international Energy Star 2.0 label. Energy Star is a voluntary labelling program designed to identify and promote energy efficient products that reduce greenhouse gas emissions.



## Configurations

### DocuPrint P365 d

Print up to 38 ppm  
Duplex print up to 24 ppm (A4)  
Resolution up to 1200 x 1200 dpi  
Powerful 533 MHz processor  
300-sheet standard input capacity plus an optional 550-sheet feeder tray  
WxDxH: 393mm x 428mm x 267mm





**Keep up with demand.** The optional 550-sheet paper tray extends the the total input capacity to 850 sheets - meaning busy work environments can spend less time re-loading paper and more time getting on with business.

### Enterprise-wide operations put you in control

**Extend your LAN to WAN.** The DocuPrint P365 d is supported for wide-area network printing in enterprise business applications, providing the same feature-rich environment as when printing over the office local-area network.

**Expanded Citrix printing.** The print utility for XenApp has a number of new features and provides enhanced usability and improved administration for Citrix printing.

**Good news for SAP users.** The ApeosWare Device type enables the DocuPrint P365 d to be used in SAP R/3 or mySAP environments, helping create beautifully formatted reports, forms and barcodes, and simplifying administrative tasks.

**Centware Internet Services (CWIS).** CWIS function allows for easy setup and monitoring of the printer on the network. The software also generates email alerts that notify of events that require attention, such as low toner levels.

- 1 Backlit display
- 2 150-sheet face down output tray
- 3 50-sheet multipurpose tray
- 4 250-sheet main tray
- 5 550-sheet optional tray

The optional 550-sheet paper tray means fewer paper re-fills

### Confidential Printing with SecurePrint

Advanced security features such as SecurePrint\*, Control Panel Lock, IPsec data encryption and IP filter ensures encryption of confidential material for transmission over a network and is only printed when a password is entered on the control panel.



Print your document using the SecurePrint option and define a password



Select the document from the SecurePrint menu



Enter your password to print your document



The document is released from the SecurePrint queue



Your document is printed securely

\*Optional 512MB Memory is required for SecurePrint.

# Specifications of DocuPrint P365 d

## Basic Specifications

| Item                                 | DocuPrint P365 d  |   |
|--------------------------------------|---|---|
| Print Speed <sup>1</sup> (A4)        | Up to 38 ppm  |   |
| Duplex Print (A4 SEF)                | Up to 24 ppm  |   |
| Print Resolution                     | Up to 1200 x 1200 dpi   |   |
| First-page-out Time                  | 5.2 seconds or less (ready mode)  |   |
| Warm-up Time                         | 11 seconds or less  |   |
| Memory (std/max)                     | 256MB/768MB   |   |
| Processor                            | 533MHz  |   |
| PDL                                  | PCL5/PCL6/Adobe Genuine PostScript® 3™  |   |
| Connectivity                         | USB2.0 (Hi-Speed)<br>10Base-T/100Base-TX/1000Base-T<br>IEEE802.11b/g/n (Optional)   |   |
| Compliant Standard Security Protocol | IEEE802.11b/g/n,<br>64(40-bit key) / 128(104-bit key)<br>WEP, WPA-PSK (TKIP, AES)<br>WPA2-PSK (AES)   |   |
| Certifications                       | WiFi, WPA2.0 (Personal)   |   |
| WiFi Protected Setup (WPS)           | Push Button Configuration (PBC)<br>Personal Identification Number(PIN)  |   |
| Supported Operating System           | Microsoft Windows Vista (32 bit/64 bit) / Server2008 (32bit/64 bit) / Server 2008 R2 (64bit)/7 (32bit/64bit) / Server 2012 (64bit) / Server 2012 R2 (64bit) / 8.1 (32bit/64bit) / 10(32bit/64bit) <sup>2</sup> and Mac OS X version 10.7/10.8/10.9/10.10/10.11 (x86/x64)<br>Red Hat Enterprise Linux 6/7 Desktop (x86)<br>SUSE Linux Enterprise Desktop 11/12 (x86) |   |
| Protocol                             | TCP/IP (LPD, Port9100, WSD, HTTP, HTTPS, SMTP, RARP AutoIP, WINS, FTP, Telnet, DNS, DDNS, IPP, SNT, SMB, NetBEUI) SNMP, DHCP, BOOTP, Bonjour® (mDNS)  |   |
| Automatic two-sided printing         | Standard  |   |
| Input Paper Size                     | Main Tray   | A4, B5, A5, Legal (8.5 × 14"), Folio (8.5 × 13"), Letter (8.5 × 11"), Executive Custom: (Width: 139.7 – 215.9mm, Length: 210 – 355.6mm)                       |
|                                      | Multipurpose Tray   | A4, B5, A5, Legal (8.5 × 14"), Folio (8.5 × 13") Letter (8.5 × 11"), Executive, C5, Com-10, DL, Monarch Custom (Width: 76.2 – 215.9mm, Length: 127 – 355.6mm) |
|                                      | Optional Tray   | A4, B5, A5, Legal (8.5 × 14"), Folio (8.5 × 13"), Letter (8.5 × 11"), Executive, Custom(Width: 139.7 – 215.9mm; Length: 210 – 355.6mm)                        |
|                                      | Duplex Printing   | A4, B5 (JIS), A5, Letter, Executive, Folio, Legal Width 139.7 to 215.9mm Length 210 to 355.6mm  |
| Input Media Weight & Type            | Plain (60 – 80 gsm)<br>Plain Thick (81 – 105 gsm)<br>Light Card (106 – 163 gsm)<br>Heavy Card (164 – 216 gsm)<br>Envelope, Labels, Letterhead, Hole Punched, Coloured<br>Duplex printing: 60 – 163 gsm plain paper  |   |
| Media Input Capacity                 | Main Tray: 250 sheets<br>Multipurpose Tray: 50 sheets<br>Optional Tray: 550 sheets  |   |
| Media Output Capacity                | 150 sheets face down  |   |
| Operating Environment Temperature    | 10 - 32 °C; Humidity: 10 - 85 %   |   |
| Electrical Power                     | 220–240 VAC, 50/60 Hz or 110–127 VAC, 50/60 Hz  |   |
| Operating Noise (Main Unit Only)     | During operation: 7.61B 54.3 dB (A)<br>During stand by: 5.3B 24.1 dB (A)  |   |
| Power Consumption                    | Maximum: 1200W Sleep mode: 4W<br>Average: During standby: 53W ; During continuous printing: 614W<br>TEC: 2.0 kWh/week (230V model); 2.1 kWh/week (110V model)   |   |
| Engine Life                          | 300,000 pages or 5 years  |   |
| Print Features                       | Toner Save Mode, Duplex, Print Cancel (from panel), N-up, Poster, Watermarks, Collate, Image Rotation (180degree)   |   |
| Dimensions (WxDxH)                   | 393mm x 428mm x 267mm   |   |
| Weight                               | 11.3kg  |   |
| Warranty                             | Please check with your Fuji Xerox Printers reseller for more information  |   |

## Options

| Item  | DocuPrint P365 d |
|---|------------------|
| 550-Sheet Feeder                                | EL300927         |
| 512MB Memory                                    | EL300820         |
| Wireless Network Kit b/g/n                      | EL500261         |
| Traditional Chinese/Simplified Chinese Font-ROM | EL300848         |
| Korean Font-ROM                                 | EL300847         |
| Japanese Font-ROM                               | EL300842         |

## Consumables<sup>3</sup>

| Item   | DocuPrint P365 d |
|--|------------------|
| Standard yield toner cartridge (up to 4,000 pages) | CT201937         |
| High yield toner cartridge (up to 10,000 pages)    | CT201938         |

## Additional Supplies<sup>3</sup>

| Item                                  | DocuPrint P365 d                 |
|---------------------------------------|----------------------------------|
| Drum Cartridge (up to 100,000 pages)  | CT350973                         |
| Maintenance Kit (up to 100,000 pages) | 110V: EL300925<br>220V: EL300926 |

<sup>1</sup> Print speed may decrease due to factors such as paper type, paper size and printing conditions.

<sup>2</sup> DocuPrint P365 d is not supported on Windows 10 Mobile.

<sup>3</sup> Actual yield pages will vary depending on conditions such as print contents, pages per job (job size), simplex/duplex printing and other conditions. Toner Cartridge declared yield in accordance with ISO/IEC 19752. Printer shipped with one set of starter toner cartridge with average yield 4,000 pages.

Web Services on Devices (WSD) is available only on Windows Vista, 7/8.1/10, Server 2008, Server 2008 R2, Server 2012 R2.



Other company names or product names are registered trademarks or trademarks of each company.

**Reproduction Prohibitions** Please note that reproduction of the following is prohibited by law: Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

**For Your Safety**  
Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

**astragraphia**  
member of ASTRA

PT ASTRA GRAPHIA TBK

Head Office (021) 390 9444 • Jakarta 1, 2, 3 (021) 65704072 • Jakarta 4 (021) 7829182 • Jakarta 5, 6, 7 (021) 522 0030 • Bogor (0251) 837 2705 • Tangerang (021) 552 6818 • Cilegon (0254) 8484251 • Karawang (0267) 826 06042 • Bandung (022) 420 1032 • Cirebon (0231) 116 087 • Semarang (024) 842 5460 • Solo (0271) 710 186 • Yogyakarta (0281) 625 270 • Tegal (021) 415 1458 • Surabaya 1 (031) 534 8181 • Kediri 0813 353 03512 • Gresik 0857 4180 5789 • Madiun 0852 201 66303 • Surabaya 2 (031) 534 0175 • Malang 0856 994 170546 • Jember 0812 323 8189 • Pasuruan 0815 9101 6587 • Denpasar (0361) 410 277 • Mataram (0370) 645 582 • Kupang (0380) 840 263 • Benete 0812 382 6351 • Dili, Timor Leste (670) 723 4726 • Medan (061) 787 1000 • Banda Aceh 0856 941 70885 • Pematang Siantar 0856 9417 0082 • Rantau Prapat 0856 9417 0872 • Sibolga 0856 9417 0879 • Batam (0778) 412 173 • Bintan 0813 6315 7231 • Pekanbaru (0761) 335 19 • Pangkalan Kerinci (0761) 43 969 • Duri 0812 670 9683 • Padang 0811 665 8551 • Perawang 0812 764 8509 • Muara Bungo 0813 677 29908 • Dumai 0853 646 77791 • Jambi 0812 903 18040 • Palembang (0711) 355 100 • Bangka Belitung 0819 955 33557 • Tanjung Enim (0734) 451 552 • Lampung (0721) 261 674 • Bengkulu 0821 8149 9578 • Balikpapan (0542) 733 307 • Samarinda 0821 529 30349 • Tarakan (0551) 221 08 • Berau (0554) 257 63 • Bontang (0548) 303 6692 • Sangatta (0549) 224 56 • Pontianak (Jakarta 3) 0811 577 7140 • Banjarmasin (0511) 325 2520 • Palangkaraya (0536) 323 5834 • Batu Licin (0518) 713 02 • Tanjung (0526) 202 2827 • Makassar (0411) 811 1811 • Kendari (0401) 324 582 • Sorowako 0853 9697 9400 • Ambon 0811 490 551 • Biak 0812 485 6266 • Jayapura (0967) 523 349 • Timika 0813 443 91061 • Manokwari 0812 485 6266 • Manado (0431) 857 643 • Palu 0821 9009 9010 • Sorong (0951) 331 569 • Luwuk 0822 9123 9723 • Gorontalo 0853 202 28257

Xerox, Xerox and Design, as well as Fuji Xerox and Design are registered trademarks or trademarks of Xerox Corporation in Japan and/or other countries.

The information is as of September 2016. MARS5757