

D95 / D110 / D125 Copier / Printer The power to print more



Print faster. Print for less.

For printing-intensive environments, such as pay-for-print shops and centralised reprographic departments, education, healthcare and many other industries, Fuji Xerox engineered the D95/D110/D125 Copier/Printer to excel at what's most important: increasing productivity, reducing costs and exceeding customers' demanding expectations.

The D95/D110/D125 helps grow your business because you're free to focus on what you do best: producing great work. We'll help you produce it faster and more affordably.

The D95/D110/D125 Copier/Printer delivers the industry's most innovative features and capabilities, with the flexibility to choose your print speed, server options, and the media feeding and finishing capabilities that make the most sense for you:

- Fast print speeds of up to 95, 110 or 125 pages per minute (ppm).
- High-performance single-pass colour scanning at up to 200 images per minute (ipm).
- An integrated controller comes standard. The D95/D110/D125 also offers an optional powerful server - FreeFlow Print Server - designed to meet your individual needs.
- Ease-of-use.
- A robust set of inline finishing options.
- Multiple feeding and paper-handling options to boost both your productivity.

Fuji Xerox-exclusive EA Toner

technology plays an integral role in the D95/D110/D125 Copier/ Printer's delivery of superior image-quality:

- Emulsion Aggregation (EA)
 Toner is chemically grown, resulting in the smallest, most uniformly shaped particles for razor-sharp line work.
- You get the highest levels of detailing, with the sharpest text and halftones, and deep, solid blacks.
- Longer photoconductor life and lower toner requirements per page further enhance the D95/ D110/D125 Copier/Printer's contribution to environmental sustainability.



Innovative production solutions to ensure a greener today and tomorrow.

For more information about our commitment to environmental sustainability, visit www.fujixerox.com/eng/company/ecology/index.html .

Grow your business with performance and reliability you can count on.

Designed for fast-paced environments of all types – from commercial print shops and pay-for-print retail outlets to law offices and schools – the D95/D110/D125 Copier/Printer excels anywhere speed, image quality and ease-of-use play key roles in improving efficiency and reducing costs.

Speed and productivity

Time is money, and the D95/D110/D125 Copier/Printer helps you save both.

- High-speed print engines deliver output up to 95, 110 and 125 pages per minute.
- A fast, single-pass, colour dual-head scanner scans at speeds up to 200 images per minute.
- Concurrent scan/receive, RIP and print processing provide maximum throughput.
- The 250-sheet Automatic Document
 Feeder ensures that even the largest jobs run with optimum efficiency.
- Various 'scan to' destinations –
 Store to Folder/PC/e-mail/USB.
- Convert hard-copy pages to TIFF, JPEG and PDF files that you can store or send.
- Optional High Compression kit and Searchable PDF kit compress the scanned file size and add OCR text imformation.

Image quality

When printing is your business, the D95/D110/D125 Copier/Printer's unsurpassed image quality goes a long way toward winning repeat customers.

- 2400 x 2400 dpi print resolution delivers consistent, high-quality reproduction of text, solids, photos and graphics.
- Colour scanning with 600 x 600 dpi with 8-bit grey (256 shades) scan resolution produces copy output that matches the original.

Ease-of-use

The D95/D110/D125 Copier/Printer quickly begins delivering an exceptional return on your investment.

- With a large, full-colour touch screen, the user interface allows simple programming of sophisticated jobs, with intuitively located buttons.
- Load-while-run, unload-while-run and change-while-run capabilities mean you can load paper or unload finished documents while the copier/printer is running.
- Innovative Job Flow Sheets make it possible by automatically emailing or distributing jobs.
- Print from and save to any standard USB drive device* for easy walk-up convenience.
- The Copier/Printer accepts any data stream, anytime, including Adobe[®] PostScript[®], PDF, PCL, LCDS, IPDS, VIPP[®] and PPML.



Reliability

Every component within the D95/ D110/D125 Copier/Printer has been engineered for maximum uptime and long-life durability. And we've made it easy for you to perform routine maintenance and tune-ups yourself to keep the device running.

Should you need assistance, you can count on our world-class service to provide all the support you'll need.

Excite your customers and win more jobs.

Create applications for your specific business needs or targeted toward a diverse range of industries with the D95/D110/D125 Copier/Printer. Its powerful media handling, feeding and finishing capabilities give you the flexibility to produce dynamic finished products – at your point of need – that meet your internal requirements, excite your customers, and drive new business and revenues your way.

Feeding and paper handling highlights:

- Increase productivity with uninterrupted long runs by adding an optional A4 size high capacity feeder, or a choice of A3 High Capacity Feeder or High Capacity Feeder C2-DS.
- Attract attention and maximise the impact of your high-value documents by adding full-colour covers or inserts (up to 200 sheets) via the standard post-process inserter.
- Use the bypass tray to run additional sizes and weights (up to 250 sheets).

Expand your capabilities with the D95/D110/D125 Copier/Printer's inline finishing options:

- Variable length stapling (up to 100 sheets)
 24 staple choices yield top-quality stapled sets.
- Hole punching 2/4 saves time and costs.
- The Interface Module acts as a "communications hub" whenever you elect to have more than one finisher connected to your copier/printer. It enables key functions such as media cooling, decurling and finisher module communications.
- GBC® AdvancedPunch^{™1} offers a versatile range of punching styles so you can create documents in-house that are ready for professional binding.
- The High Capacity Stacker¹ neatly stacks up to 5,000 A4-size sheets. A removable cart included for easy transport and unloading.
- Bi-folding, C-folding, Z-folding and Engineering Z-folding (folded to fit into A4-size document sets) saves time and enhances your productivity.
- Booklet finishing options are ideal for large booklets and calendars up to 25 sheets (100 imposed pages).
- SquareFold® Trimmer Module creases cover sheets and performs face trimming to ensure a professional finish. Create square-spine booklets that can be opened flat and are easy to handle, stack and store.
- Perfect Binder* can offer productivity and professionally finished perfect-bound books and manuals. Use inline or offline, you'll have big capabilities in a small footprint. You can use mixed media to create these higher-value books, inserting pre-printed covers or covers printed in your workflow.
- * Available only with D110/125 copier / printer without FreeFlow ® Print Server

Feeding Options



A4 High Capacity Feeder 2,000 sheets each tray (4,000 sheets total): A4-size



A3 High Capacity Feeder 2,000 sheets: Up to SRA3



High Capacity Feeder C2-DS 2,000 sheets each tray (4,000 sheets total): Up to SRA3

Flexibility for every environment.



High Capacity Feeder C2-DS 250-sheet bypass tray

200 ipm scanner with standard colour scanning Print resolution up to 2400 x 2400 dpi

1,100-sheet A4-size tray 1,600-sheet A4-size tray Two 550-sheet trays standard and custom sizes up to SRA3

8 Interface module

GBC® AdvancedPunch™ High Capacity Stacker

D4 Folder C-fold, Z-fold, Engineering Z-fold 200-sheet standard post process inserter

Finisher D4 with Booklet Maker Hole punch

500-sheet top tray

14

SquareFold® Trimmer Module

Finishing Options



Finisher D4 with Optional D4 Folder

• 2/4-hole punching, 3,000-sheet stacking, 200-sheet interposing, single or dual 100-sheet variable length stapling



Interface Module and GBC® AdvancedPunch™



Finisher D4 with Booklet Maker with Optional D4 Folder

 All the features of the Finisher D4 plus 2,000-sheet stacking tray, booklet making up to 25 sheets (100 pages)



Interface Module and High Capacity Stacker

• 5,000-sheet offsetting output stacking



SquareFold Trimmer

 Available with Finisher D4 with Booklet Maker, SquareFold up to 25 sheets (100 pages) for face trimming between 2-20 mm



Perfect Binder*

• Create Perfect Bound Books up to 23 mm max thickness: 20 - 400 pages (10 -200 sheets)

*Available only with D110/125 copier printer without FreeFlow® Print Server

Choice of print servers expands your capabilities.

Standard Integrated Copy/Print Server

You'll get a simple workflow with an easy-to-use touch screen, FreeFlow® integration, excellent features and a small footprint:

- **Superior scanning.** Create text-searchable files at the device for easy retrieval compression technology reduces network load.
- Remotely manage your device. CentreWare® IS Embedded Web Server automates installation, troubleshooting feature set-up and upgrading.
- Multiple Sets of Copies with Separators. Make multiple collated or uncollated sets separated by slip sheets for efficient distribution.
- **USB direct printing.** Enable to print directly from a USB flash memory (optional).
- Security. A large set of security features is packed into one compact device. Standard Secure Print. Secure Watermark (optional). The latest network and security standards: IPv6/Ipsec/SNMP. V3/IEEE802.1 compliant. Standard Data encryption/overwrite.
- Apeos iiX Solution. Customize to suit your business needs.
- Ecology. Show your print job's ecological friendliness.

Optional FreeFlow® Print Server

You'll get unmatched power and synergy across our entire black and white, colour and highlight colour portfolio on top of a superior feature set:

- **Process Speed and Capacity.** Simultaneously receive, RIP and print several jobs at once or one long streaming job.
- **Submit Jobs from Anywhere.** From desktop applications, host-based TCP/IP connections, the web, CD-ROMs, portable USB devices and optional FreeFlow Suite components.
- Scalability. You begin with production power and a familiar workflow at a great price; add only those feature licenses that you need.
- Automated Job Ticketing and Customised Job Workflows. Queues and hot folders let you streamline your workflow.
- Print What You Want, When You Want and Where You Want.

 Native acceptance of most transactional data streams, including IPDS, LCDS and VIPP.
- **Strong Security.** Provided via UNIX-based platform and flexible control to define settings for users and groups.



Integrated Copy/Print Server



FreeFlow® Print Server

The right applications for your environment.

The D95/D110/D125 lets you do more. Develop innovative, business-generating applications now and in the future.

Quick, franchise or enterprise/in-house printers

Applications include complex jobs, manuals, collaterals, calendars, catalogues, newsletters and forms.

- Produce the high-quality output your customers demand.
- Meet aggressive turnaround times.
- Offer more applications and services, including professionally bound, lay-flat documents and neat square fold booklets.
- Offer personalisation using optional one-to-one software.
- Supports coated/extra-heavyweight media.

Education

Applications include teacher curriculum materials, workbooks, student directories, coursepacks and yearbooks.

- Create multiple collated or uncollated sets with slip sheets for classroom handouts; sets can be finished with hole-punch or staple.
- Lay-flat binding provides 360-degree rotation.

- Fast copy speed and broad media capacity gives teachers and assistants more time in the classroom.
- Achieve better, more effective communications with full-colour scanning and scan-to-email capabilities.
- Create low cost memory books and insert colour where needed.

Legal, insurance and healthcare

Applications include evidentiary, discovery and case management documents, schedules and newsletters.

- Built-in Bates Stamping lets you generate copies with customised 9-digit alphanumeric descriptors on each page.
- Communicate faster and more effectively via scan to email.
- Create both office publications and transactional print documents.

Service bureau or data centre

Applications include statements, bills and schedules.

- The optional FreeFlow® Print Server delivers native transaction (IPDS/LCDS) publishing and personalised data stream printing support.
- High reliability ensures you meet tight deadlines.
- Create high-value, high-impact applications on the spot using colour insertion, personalisation and in-line finishing.

Office

Applications include newsletters, handouts, presentations, reports and correspondence.

- Ease-of-use ensures copying, scanning and printing are no-stress activities.
- Expansive media capacity, in-line holepunch, stapling, folding and bookletmaking options reduce labour and ensure consistent results.
- Security features protect your data and meet your corporate security standards.













D95/D110/D125 Copier/Printer

Print Engines

- Xerographic Engine
- Print Speeds
 - 95/110/125 ppm A4
 - 56/69/78 ppm B4
 - **-** 50/55/62 ppm A3
 - 34/34/34 ppm SRA3
- First copy-out-time: D110/125: 3.5 seconds D95: 4.2 seconds
- Simplex or duplex printing
- Up to 1200 x 1200 dpi RIP resolution and up to 2400 x 2400 dpi resolution with halftone screen 106 lpi (default) or 150 lpi (high quality mode)

Document Storage

Standard Integrated Copy/Print Server

• 80 GB Hard Disk Drive

Scanner/Document Handler

- Colour Dual Head Scanner
 - Up to 200 ipm, simplex/duplex
 - 250-sheet Duplex Automatic Document Feeder
 - Throughput sizes: A5 to A3
 - Throughput weights:
- Simplex or duplex: 38 to 200 gsm
- Optical 600 x 600 dpi 8-bit Grey (256 shades) scan resolution
- Scans in industry standard PDF, JPEG, TIFF, XDW or XPS
- Scan to Folder, PC, e-Mail or USB (option)

Paper Handling

Stock weights and capacity:

- Tray 1*: 1,100 sheets A4
- Tray 2*: 1,600 sheets A4
- Tray 3-4*: 550 sheets each 140 x 182 mm (A5) to 330 x 488 mm (SRA3)
- Tray 5 Bypass Tray: 250 sheets 102 x 152 mm to 330 x 488 mm; 52 gsm to 253 gsm
- Optional A4 High Capacity Feeder: 2 trays, 2,000 sheets each A4; 52 to 216 gsm
- Optional A3 High Capacity Feeder: 1 Tray Feeder; 2,000 sheets – B5 to SRA3; 64 to 253 gsm
- Optional High Capacity Feeder C2-DS:
 2 Tray Feeders; 2,000 sheets in each tray—B5 to SRA3; 64 to 253 qsm
- **Coated Stocks:** Refer to Customer Expectation Document for approved coated stocks

Finisher D4

- Multi-position stapling: single or dual 100-sheet variable length
- 2- and 4-hole punch
- Stacker capacity: 3,000 sheets (80 gsm);
 Top tray: 500 sheets (80 gsm)
- 200-sheet interposer for pre-printed and full bleed sheets

Finisher D4 with Booklet Maker

Includes features of the Finisher D4 with a 2,000-sheet stacker tray plus:

 Automatically creates booklets of up to 25 sheets (100 imaged sides with saddle stitching) – A4, B4, A3 and SRA3)

Optional D4 Folder

- C-fold and Z-fold A4
- Print on inside or outside of folded paper
- Folds A3 Z-fold for insertion into A4 document sets (Engineering Z-fold)
- Available with Finisher D4 with or without Booklet Maker

SquareFold® Trimmer Module

- Square fold up to 25 sheets (100 pages)
- Face trim between 2 to 20 mm in 0.1 mm increments
- Accepts paper sizes: 216 x 279 mm to 330 x 457 mm
- Available with Finisher D4 with Booklet Maker only

Optional High Capacity Stacker with rollaway cart**

- 5,000-sheet offsetting output stack tray; B5 LEF to SRA3
- 500-sheet top tray and includes one rollaway cart; additional carts available

GBC[®] AdvancedPunch™**

- Paper supported: A4 Long Edge Feed (297 mm) side only
- 80 to 216 gsm
- Several customer replaceable Die Sets available

Perfect Binder***

- 20-400 page books (80 gsm paper)
- Covers: 90 gsm-300 gsm coated and uncoated; up to 13" x 19.2" (330 mm x 488 mm: sheets; B5–SRA3)
- Body pages
 - Uncoated 64–105 gsm
 - Coated 90–105 gsm
 - Coated 106–163 gsm can be used as interleaf (maximum of 10 sheets per book)
- Standard book sizes
 - Trade: 139.7 mm x 215.9 mm/ 152.4 x 229 mm
 - Manuals: 8.5" x 11"/A4
 - Custom: 148.8 mm x 174.8 mm min- 256.5 mm x 320 mm max

Data Security

- Standard Secure Print
- Password Protected PDF and XDW
- Hard Disk Data Encryption and Overwrite
- Authentication with LDAP/Kerberos/SMB
- IPsec, 802.1X, SNMP v3 Ready

Electrical Requirements

- Print Engine:
 - 220 240 VAC, 60/50 Hz, 15A
 - Max Power Consumption: 3.6 kW
 - Agency certification: ENERGY STAR® compliance
- Optional Feeding/Finishing:
 - Each module requires 100 240 VAC, 60/50 Hz power

Optional Print Servers

FreeFlow® Print Server Hardware Specifications

- Processor: 2.8 GHz Intel DUO E7400 CPU
- Processor Type: 2 x Intel Xeon Processors
- Hard drive: 1 x 250 GB
- Memory: 4 GB
- Operating System: Solaris® 10
- Software/Vendor: FreeFlow Print Server
- Ports: 6 x USB 2.0
- 10/100/1000 BaseT Ethernet Ports
- Display: 19 in. screen
- Keyboard and mouse
- DVD-ROM/DVD-RW
- 10/100 switch

Client and Remote Support

- Choice of print drivers
 - Support for Fuji Xerox Global Print Driver®
 - Fuji Xerox fully featured print drivers
 - Windows® 2003 server/2008 server /XP/Vista/7/8 full-featured drivers
 - Macintosh® OS 10.4 or higher for drivers
- Adobe® PostScript® Printer Descriptions (PPD)
- HTTP and HTTPS browser submission support
- Support of IPv4 and IPv6 (dual mode supported)

Options

- FreeFlow® Print Server Stand
- VI Compose (VIPP® Interpreter)
- LCDS and IPDS enablement

Network Environments/Protocols

- TCP/IP, IPP AppleTalk®, IPP
- DHCP
- SNMP MIB II support for third-party

*Capacity based on 80 gsm

**Available with D110/D125 configurations only

***Available only with D110/125 copier / printer withou
FreeFlow® Print Server



As a participating business in the International Energy Star Program, Fuji Xerox has determined that this product satisfies the standards for its product category under the International Energy Star Program.

For more information or detailed product specification, please call or visit us at

PT Astra Graphia, Tbk.

Jl Kramat Raya No. 43, Jakarta 10450, Indonesia Tel. +62-21-3909190



